



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of:  
C. MATTHEWS, et al.

Serial No.: 09/893,934

Filed: June 27, 2001

For: **CALIBRATION TECHNIQUE  
FOR COINCIDENCE  
IMAGING SYSTEMS**

Date of Office Action:  
April 23, 2003

Attorney Docket No.:  
PKRZ 2 00679

Examiner: C. SUNG

Art Unit: 2878

Confirmation: 6286

Cleveland, OH 44114  
August 19, 2003

REQUEST FOR A ONE-MONTH EXTENSION OF TIME

Commissioner For Patents  
P.O. Box 1450  
Alexandria, VA 22213-1450

Dear Sir:

The initial period for filing a response to the outstanding Office Action, issued April 23, 2003, expired on July 23, 2003.

Pursuant to 37 C.F.R. §1.17, petition is hereby made for a one-month extension of time up to and including August 23, 2003 in which to file a response.

Authorization is hereby provided to charge the amount of \$ 110.00 for the extension fee and any additional fees which may be required, or credit any overpayment to Deposit Account No. 06-0308.


Respectfully submitted,

FAY, SHARPE, FAGAN,  
MINNICH & MCKEE, LLP

08/22/2003 SZEWDIE1 00000026 09893934

01 FC:1251

110.00 0P

  
Thomas E. Kocovsky, Jr.  
Reg. No. 28,383  
1100 Superior Avenue  
Seventh Floor  
Cleveland, OH 44114-2518  
(216) 861-5582

#3  
RECEIVED  
AUG 26 2003  
TC 1700

RECEIVED  
AUG 27 2003  
TECHNOLOGY CENTER 2800